



Procedure International Journal of Science and Technology

(International Open Access, Peer-reviewed & Refereed Journal)
(Multidisciplinary, Monthly, Multilanguage)

★ Vol: 1

★ Issue: 1

★ January 2024

EDITOR-IN-CHIEF

Prof. (Dr.) Neeraj Rathore

Professor, Department of Physics, Bareilly College, Bareilly, Uttar Pradesh, India.

MANAGING EDITOR

Prof. (Dr.) Brij Bihari Sharma

Professor, Department of Chemistry, Magadh University, Bodh Gaya, Bihar, India.

PUBLISHED BY

**Institute of Science and Technology Development
Ghazipur, (U.P.)- 233001**

Editor-in-chief

Prof. (Dr.) Neeraj Rathore

Professor, Department of Physics, Bareilly College, Bareilly, Uttar Pradesh, India.

Managing Editor

Prof. (Dr.) Brij Bihari Sharma

Professor, Department of Chemistry, Magadh University, Bodh Gaya, Bihar, India.

Associate Editors

Prof. (Dr.) Santosh Kumar, Professor, Department of Mathematics, North-Eastern Hill University, Shillong, Meghalaya, India.

Prof. (Dr.) Neera Kapoor, Professor, Faculty of Life Sciences, Indira Gandhi National Open University, Maidan Garhi, New Delhi, India.

Prof. (Dr.) Arun Prasad A., Professor, Department of Veterinary Surgery and Radiology, Madras Veterinary College, Chennai, India.

Prof. (Dr.) Amutha S., Professor, Department of Computer Science & Engineering, Dayananda Sagar College of Engineering, Shavige Malleswara Hills, Bangalore, Karnataka, India.

Editorial Board Members

Prof. (Dr.) Yogesh Chandra Sharma, Professor, Department of Chemistry, IIT-BHU, Varanasi, India.

Prof. (Dr.) Krishnan R, Professor, Department of Computer Science & Engineering, Dayananda Sagar College of Engineering, Shavige Malleswara Hills, Bangalore, Karnataka, India.

Prof. (Dr.) M. P. Flower Queen, Professor, Department of Electrical & Electronics Engineering, SRM TRP Engineering College Mannachanallur, Tiruchirappalli, Tamil Nadu, India.

Dr. Vinodini Katiyar, Associate Professor & Head, Department of Information Technology, Dr. Shakuntala Misra National Rehabilitation University, Lucknow, India.

Dr. R.K Yadava, Associate Professor, Department of Kayachikitsa, All India Institute of Ayurveda, Delhi, India.

International Editorial Board Members

Prof. (Dr.) Martin Bohner, Professor, Department of Mathematics and Statistics, Missouri University of Science and Technology, Rolla, Missouri, USA.

Prof. (Dr.) Ahmet Ertek, Professor, faculty of Agriculture, Isparta University of Applied Sciences, Isparta, Turkey.

Prof. (Dr.) A.A.J. Pushpakumara, Professor, department of Shalya shalakya, Faculty of Indigenous Medicine, Gampaha Wickramarachchi University of Indigenous Medicine, Kandy Road, Yakkala, Sri Lanka.

Prof. (Dr.) Hesham Ali El-Enshasy, Professor, Bioprocess Engineering Department, Faculty of Chemical and Energy Engineering, Universiti Teknologi Malaysia(UTM), Johor, Malaysia.

Dr. Surender Reddy Salkuti, Associate Professor, Department of Railroad and Electrical Engineering, Woosong University, Daejeon, Republic of Korea.

Peer-Review/Refereed Board

Prof. (Dr.) Pradeep Kumar Sachan, Professor, Department of Samhita And Siddhanta, Bundelkhand Govt. Ayurvedic College & Hospital Jhansi, U.P., India.

Prof. (Dr.) M.P. Thapliyal, Professor & Dean, Department of Computer Science and Engineering, Hemvati Nandan Bahuguna Garhwal University, Srinagar, Garhwal, Uttarakhand, India

Prof. (Dr.) A.R. Patil, Professor, Department of Botany, Rajaram College, Vidyanagar, Kolhapur, Maharashtra, India.

Prof. (Dr.) Kumaraswamy Gandla, Professor and Dean (I/C), Department of Pharmacy, Chaitanya (Deemed to be University), Gandipet, Hyderabad, Telangana, India.

Prof. (Dr.) T. Selvankumar, Professor & Head, PG & Research dept. of Biotechnology, Mahendra Arts & Science College Kalippatti, Tamilnadu, India.

Prof. (Dr.) Saravana Kumar, Professor & HOD, Department of Periodontology, Indira Gandhi Institute of Dental Sciences, Pondicherry, India.

Prof. (Dr.) Manisha Sharma, Professor, Department of Zoology, Janki Devi Bajaj Government Girls College, Kota, Rajasthan, India.

Prof. (Dr.) D.P. Rai, Professor, Department of Technology Transfer, Faculty Of Agriculture, Mahatma Gandhi Chitrakoot Gramodaya Vishwavidyalaya, Satna, M.P., India.

Prof. (Dr.) Packyanathan Ganesan, Professor, Department of Electronics and Communication Engineering, Vidya Jyothi Institute of Technology, Hyderabad, Telangana, India.

Contents

1. Enhancing Performance and Efficiency via Cloud Load Balancing
- Dr. Hemant Kumar Singh; Dr. Vinodani Katiyar Page 1-8
2. Information Technology enabled disaster management
- Dr. Sangita Katiyar Page 9-15
3. Remote Sensing: An Effective Tool for Environmental Monitoring
- Saurabh Kumar Page 16-24
4. Infectious Plant Diseases and Their Control
- Dr. Dharmendra Singh Page 25-32
5. Image Formation: Mathematical Expression of the Principle
- Dr. Ankit Maurya Page 33-41

Procedure International Journal of Science and Technology

(International Open Access, Peer-reviewed & Refereed Journal)

(Multidisciplinary, Monthly, Multilanguage)

ISSN : 2584-2617 (Online)

Volume- 1, Issue- 2, January 2024

Website- www.pijst.com

Enhancing Performance and Efficiency via Cloud Load Balancing

Dr. Hemant Kumar Singh

Hod (CS&E) & Dean Engineering, Department of Computer Science & Engineering, School of Management Sciences, Lucknow, (U.P.), Email id- hemantbib@gmail.com

Dr. Vinodani Katiyar

*Associate Professor & Head, Department of Information Technology, Dr. Shakuntala Misra National Rehabilitation University, Mohaan Road, Lucknow, (U.P.),
Email id- drvinodini@gmail.com*

Abstract-

Cloud computing has revolutionized business operations by offering scalable and adaptable resources. However, with increasing demands on cloud services, the efficient allocation of resources becomes crucial. Load balancing in cloud environments plays a pivotal role in distributing incoming traffic across multiple servers or resources, optimizing performance, and ensuring high availability. This paper aims to explore various load balancing techniques, their implementation in cloud settings and their impact on performance, scalability, and cost-efficiency.

Keywords- Load Balancing, Load Balancing Algorithms, Cloud Analytics.

1.0 Introduction-

Load balancing is a critical mechanism used in cloud infrastructure to disperse incoming network traffic or workload among numerous servers efficiently, assuring optimal resource usage, increasing throughput, and preventing any given server from getting overwhelmed or failing due to high demand [1]. Load balancing involves the distribution of incoming network traffic or workload across multiple servers or resources. It makes certain that no single server faces an undue burden, thereby

improving performance, responsiveness, and reliability. Load balancing can be implemented at different layers of the network stack:[2,3]

a. Transport Layer (L4 Load Balancing): It operates at the network transport layer (e.g., TCP/UDP), directing traffic based on network level information such as IP addresses and ports.

b. Application Layer (L7 Load Balancing): This type of load balancing operates at the application layer (e.g., HTTP/HTTPS) and can make more sophisticated decisions based on application-specific data, such as URL paths or headers.

1.1 Significance of load balancing in cloud computing

In cloud computing, load balancing plays a crucial role for several reasons[3,4]:

a. High Availability: Load balancers distribute traffic among multiple servers. If one server fails or becomes overloaded, the load balancer transfers traffic to other healthy servers, ensuring that service is not disrupted. **Scalability:** Cloud services frequently require scaling up or down based on demand. Load balancers help in scaling by distributing incoming traffic evenly across available resources, facilitating the addition and removal of servers as needed.

b. Performance Optimization: By efficiently distributing traffic, load balancers prevent any single server from being overwhelmed. This ensures optimal performance for users accessing applications or services hosted in the cloud. **Fault Tolerance:** Load balancers can detect and reroute traffic away from failed or unhealthy servers, reducing the impact of potential hardware or software failures.

c. Global Load Balancing: In scenarios where services are deployed across multiple regions or data centers, global load balancing ensures that traffic is directed to the closest or most available data center, optimizing latency and improving user experience.

2.0 Cloud Load Balancing techniques:

2.1 Round Robin:

In computer science, the Round Robin scheduling algorithm operates based on a time quantum—a fixed interval that determines how long each node or process can execute its operations. The time quantum is a critical factor in load balancing algorithms, influencing the efficiency of the system. However, when the time quantum is significantly large, the algorithm's efficiency becomes akin to that of the First Come First Serve (FCFS) algorithm, rendering Round Robin less advantageous in such scenarios. Consequently, determining the appropriate time quantum poses a significant challenge for algorithm designers[5, 6].

Round Robin, despite its simplicity, presents several drawbacks. One major concern revolves around the determination of the time quantum, which imposes an additional burden on the scheduler. Moreover, this algorithm is associated with a high rate of context switching, consequently increasing the turnaround time for processes and leading to lower throughput. These limitations underscore the need for careful consideration and optimization when implementing Round Robin scheduling in practical systems.

2.2 Equally spread current execution load

The approach to load balancing known as Equally Spread Current Execution Load involves the load balancer keeping track of a comprehensive list containing all virtual machines along with their availability statuses. If it identifies a virtual machine that aligns with the specific requirements of the client's request, the request is then directed towards that particular virtual machine [7][8].

This algorithm operates on the fundamental principle of ensuring an even distribution of the workload across all virtual machines. Achieving this equitable distribution necessitates a complete of the current workload distribution on each virtual machine. The method does this by keeping a current allocation table, facilitating the equal distribution of the workload among all virtual machines. By doing so, it aims to optimize throughput. However, there are certain drawbacks associated with this approach: It is susceptible to centered failure, wherein failures or issues centralized around specific points can disrupt the system. Additionally, this method lacks a fault tolerance feature, which means it may not be resilient against failures or errors within the system[10].

2.3 Throttled Load Balancing Mechanism-

The Throttled Load Balancing mechanism relies on maintaining records wherein the load balancer holds a table containing the indices of virtual machines and their respective operational states, distinguishing between availability and occupancy. Subsequently, the data center engages the load balancer to facilitate the allocation of the virtual machine. The load balancer proceeds by systematically scanning the table, starting from the top and continuing until it either identifies the first unoccupied virtual machine or completes a full scan of the table. Upon finding an available virtual machine, the data center then directs the request made to the particular virtual machine that is distinguished by its own identifier. [4,9].

2.4 Weighted Round Robin-

Weighted Round Robin (WRR) load balancing is commonly used in cloud environments to divide up incoming traffic among several servers or instances according to the weights allotted to them. In a cloud setup, an essential function of load balancers is to distribute and manage incoming requests. among various resources to optimize performance and reliability. This method ensures that more powerful or capable resources handle a larger share of the workload compared to less powerful ones. It's particularly useful in scenarios where servers have different processing capacities or capabilities [11].

For example, in a load balancer configuration, if Server A has a weight of 3 and Server B has a weight of 1, Server A will receive three times more requests than Server B in a single round robin cycle. Implementing WRR can help optimize resource utilization, improve system performance, and ensure that more capable resources contribute more to the overall task processing[12].

2.5 Least Connection Method-

The Least Connection Method is a technique used in cloud-based load balancing to allocate incoming requests to servers based on the number of active connections. In this method, the load balancer maintains information about the current connections each server is handling. The rationale behind this approach is to evenly distribute the workload among the servers by sending incoming least number of

connections. The objective of this approach is to maximize the use of available resources and avoid overloading any one server, thereby ensuring a more balanced distribution of traffic across the server pool. As servers manage varying loads due to fluctuating traffic, the Least Connection Method helps maintain a more equitable distribution of connections among the available servers in a cloud-based environment.

2.6 IP Hashing-

IP Hashing load balancing is a technique used in distributed systems, particularly in load balancing scenarios. This method involves the utilization of the source IP address of incoming requests to determine the destination server. The load balancer applies a hashing algorithm to the source IP address of the client to generate a hash value. The hash value is then used to map the client's IP address to a specific server from a pool of available servers. This approach helps maintain session persistence or affinity, ensuring that interactions from a specific client are handled by the same server throughout their session. IP Hashing load balancing is beneficial for applications that require continuous communication or data retention between the client and the server. By consistently directing traffic from the same source IP to the same server, it facilitates the preservation of session-related information and minimizes disruptions or data loss that might occur when requests from the same client are distributed across multiple servers[9,11].

2.7 Content-Based Routing-

Content-Based Routing (CBR) in load balancing is a method that involves directing incoming requests to specific servers based on the content or characteristics of the data being transmitted. Instead of relying solely on factors like IP addresses or connection counts, CBR examines the content of the incoming data packets to determine their destinations. This technique typically involves parsing or inspecting the content of the incoming requests, extracting relevant information such as specific keywords, headers, or attributes. Based on this extracted content, the load balancer employs rules or policies to determine which server within the pool is best suited to handle the request.

CBR enables the load balancer to make more granular and informed decisions about how to distribute the workload among servers. For instance, in a scenario where certain types of requests require specific processing or resources, CBR can route these requests to specialized servers optimized for handling such content. This approach optimizes resource utilization and improves the efficiency of the overall system by ensuring that requests are directed to servers that are best equipped to handle them based on their content characteristics.

2.8 Adaptive Load Balancing algorithm-

It continuously monitor system conditions and adjust their strategies in real-time. They might consider factors like server health, network latency, or application performance to make informed decisions about workload distribution.

These dynamic algorithms enhance system performance, scalability, and reliability by efficiently distributing tasks across resources, ensuring optimal utilization and responsiveness even in fluctuating and unpredictable environments [10,11].

3.0 Comparative analysis of some load balancing algorithms [12,13]-

Comparing load balancing algorithms requires assessing their effectiveness in distributing workloads efficiently across available resources and their ability to handle faults or failures within a system. Several key algorithms often undergo comparative analysis based on these criteria:

S. No. Load Balancing Algorithms Features

- 1. Round Robin** Known for its simplicity, it cyclically distributes requests among servers. While it ensures fairness, it might not be optimal for varying server capacities or workload demands.
- 2. Least Connections** Efficiently allocates tasks to servers with the fewest active connections, promoting balanced resource utilization. However, it might not consider server capacity or response time.
- 2.8 Adaptive Load Balancing** algorithm: It continuously monitor system conditions and adjust their strategies in real-time. They might consider factors like server health, network latency, or application performance to make informed decisions about workload distribution. These dynamic algorithms enhance system performance, scalability, and reliability by efficiently distributing tasks across resources, ensuring optimal utilization and responsiveness even in fluctuating and unpredictable environments[10,11].

3.0 Comparative analysis of some load balancing algorithms[12,13]-

Comparing load balancing algorithms requires assessing their effectiveness in distributing workloads efficiently across available resources and their ability to handle faults or failures within a system. Several key algorithms often undergo comparative analysis based on these criteria:

Sl No	Load Balancing Algorithms	Features
01	Round Robin	Known for its simplicity, it cyclically distributes requests among servers. While it ensures fairness, it might not be optimal for varying server capacities or workload demands.
02	Least Connections	Efficiently allocates tasks to servers with the fewest active connections, promoting balanced resource utilization. However, it might not consider server capacity or response time.
03	Weighted Round Robin	It's effective when servers have different capabilities but might not dynamically adapt to changing conditions.
04	IP Hashing	it might lead to uneven server loads if certain IPs generate more traffic.
05	Adaptive Load Balancing:	These algorithms continuously monitor system health and adapt to changing conditions, redistributing workloads dynamically. They offer better fault tolerance by proactively responding to failures or variations in load.

4.0 Performance Metrics and Assessment:

Evaluating load balancing efficiency involves assessing how effectively and optimally traffic is distributed across resources to achieve high availability, performance, and scalability. Here are several methods commonly used to evaluate load balancing efficiency[14,15]:

1. Response Time Analysis:

Latency Measurement: Monitor response times for requests handled by different servers or resources. Analyze average response times and identify outliers to understand the efficiency of load distribution.

2. Resource Utilization Metrics:

Server/Resource Usage: Evaluate resource utilization metrics like CPU, memory, and network utilization across load balanced servers. Ensure balanced utilization to prevent underutilization or overloading.

3. Traffic Distribution Analysis:

Request Count: Analyze the distribution of incoming requests across backend servers or instances. Check if the load balancer evenly distributes traffic according to defined algorithms or policies.

4. Health Check Monitoring:

Backend Health Status: Monitor the health status of backend resources. Evaluate how effectively the load balancer detects and redirects traffic away from unhealthy or failed servers.

5. Failure Recovery Evaluation:

Failure Simulation: Simulate server failures or unavailability scenarios to assess the load balancer's ability to reroute traffic to healthy servers promptly and efficiently.

6. Scalability Assessment:

Auto-Scaling Performance: Test the load balancer's ability to scale resources based on traffic fluctuations. Assess how well it accommodates increased load and distributes traffic across dynamically scaled resources.

7. Load Testing:

Stress Testing: Perform load tests by simulating peak traffic scenarios to determine the load balancer's performance under high load conditions. Measure response times and observe how well it manages the load.

8. Logging and Monitoring Analysis:

Log Analysis: Review load balancer logs and monitoring data. Analyze traffic patterns, errors, and throughput to identify any bottlenecks or inconsistencies in load distribution.

9. Geographical Distribution Evaluation:

Geolocation Performance: Assess the load balancer's efficiency in directing traffic based on geographic proximity. Measure latency for users in different regions to ensure optimal routing.

10. Cost-Efficiency Analysis:

Resource Cost: Evaluate the cost-effectiveness of load balancing strategies. Consider resource utilization against the associated costs to ensure efficient use of resources.

11. Real User Monitoring (RUM):

User Experience Metrics: Implement real user monitoring tools to gather data on actual user experience, including page load times, transaction performance, and user interactions affected by load balancing.

5.0 Challenges and Future Directions

Certainly: Load balancing continues to evolve to address emerging challenges and capitalize on future opportunities. Here are key challenges and potential future directions in load balancing: **Challenges:**

1. Multi-Cloud and Hybrid Environments:

Challenge: Managing load balancing across multiple clouds or hybrid environments introduces complexities in interoperability, consistent policies, and traffic routing. **Future Focus:** Developing standardized load balancing frameworks and tools that seamlessly operate across diverse cloud environments.

2. Dynamic Workload Variability:

Challenge: Handling unpredictable traffic patterns, including sudden spikes or drops in demand, requires load balancers to dynamically adjust resources. **Future Focus:** Enhancing auto-scaling capabilities and machine learning-driven load balancing for real-time adaptive resource allocation.

3. Security and Compliance:

Challenge: Ensuring load balancers comply with security protocols and industry-specific regulations without compromising performance. **Future Focus:** Implementing more robust security measures within load balancing mechanisms and maintaining compliance across diverse environments.

4. Edge Computing and IoT:

Challenge: Optimizing load balancing for edge computing and IoT devices, where latency, bandwidth, and resource constraints are critical.

Future Focus: Designing specialized load balancing solutions tailored for edge computing, incorporating edge-aware routing and resource allocation strategies.

6.0. Conclusion

This paper aims to provide a comprehensive understanding of cloud load balancing techniques, their implementation, performance assessment, and future trends. By analyzing diverse approaches, it highlights the significance of efficient load balancing in optimizing cloud computing environments.

References-

1. M. Agarwal, D.G.M.S. Srivastava "Cloud Computing: A Paradigm Shift in the Way of Computing- Int. J. Mod. Educ. Comput. Sci., 9 (12) (2017), pp. 38-48,
2. D. Lowe, B. Galhotra "An overview of pricing models for using cloud services

- with analysis on Pay-Per-Use model Int. J. Eng. Technol., 7 (3) (2018)
3. Dalia Abdulkareem Shafiq, N.Z. Jhanjhi, Azween Abdullah Load Balancing Techniques in Cloud Computing Environment: A Review in journal of King Saud University - Computer and Information Sciences (2021)
 4. Buyya R, Vecchiola C, Selvi ST Mastering cloud computing: foundations and applications programming-/ Morgan Kaufmann, USA, (2013)
 5. Mishra SK, Sahoo B, Parida Load balancing in cloud computing: a big picture in J King Saud Univ Comp Infor Sci:1–32(2018)
 6. Afzal, S., Kavitha, G. Load balancing in cloud computing A hierarchical taxonomical classification in J Cloud Comp 8, 22 (2019)
 7. J. Noor, M. N. H. Shanto, J. J. Mondal, M. G. Hossain, S. Chellappan and A. B. M. A. Al Islam, "Orchestrating Image Retrieval and Storage Over a Cloud System," in IEEE Transactions on Cloud Computing, vol. 11, no. 2, pp. 1794-1806, 1 April-June 2023
 8. X. Wei and Y. Wang, "Popularity-Based Data Placement With Load Balancing in Edge Computing," in IEEE Transactions on Cloud Computing, vol. 11, no. 1, pp. 397-411, 1 Jan.- March 2023
 9. F. Jamal and T. Siddiqui, "Comparative Analysis of Load Balancing Techniques in Cloud Computing, Based on LB Metrics," 2021 5th International Conference on Information Systems and Computer Networks (ISCON), Mathura, India, 2021, pp. 1-5
 10. Ashawa, M., Douglas, O., Osamor, J. et al. RETRACTED ARTICLE: Improving cloud efficiency through optimized resource allocation technique for load balancing using LSTM machine learning algorithm. J Cloud Comp 11, 87 (2022)
 11. H. Rai, S. K. Ojha and A. Nazarov, "Cloud Load Balancing Algorithm," in 2nd International Conference on Advances in Computing, Communication Control and Networking (ICACCCN), Greater Noida, India, 2020, pp. 861-865
 12. Pranjal Upadhyay, Krishna Kumar Sharma, Rishu Dwivedi, Pradeep Jha, "A Statistical Machine Learning Approach to Optimize Workload in Cloud Data Centre", 2023 7th International Conference on Computing Methodologies and Communication (ICCMC), pp.276-280, 2023
 13. GUO Qiaoyu, HE Weizhen, ZENG Wei, XIAO Yuqiang, "Design and Implementation of High-Performance Software Load Balancer for Cloud Service", 2021 International Conference on Machine Learning and Intelligent Systems Engineering (MLISE), pp.175-181, 2021
 14. Priyal Ghetiya, Prof. Dhaval Nimavat, "Enhancing Response Time of Cloud Resources Through Energy Efficient Cloud Scheduling Algorithm".